



**Australian Government**  
**Australian Pesticides and  
Veterinary Medicines Authority**

**PERMIT TO ALLOW MINOR USE OF A REGISTERED AGVET CHEMICAL  
PRODUCT FOR CONTROL OF VARIOUS FUNGAL DISEASES IN NURSERY STOCK**

**PERMIT NUMBER – PER90418**

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder and any person stipulated below to claim that the product can be used in the manner specified in this permit.

**THIS PERMIT IS IN FORCE FROM 25 MAY 2021 TO 31 MAY 2024**

**Permit Holder:**

GREENLIFE INDUSTRY AUSTRALIA LTD  
c/o AGAWARE CONSULTING PTY LTD  
21 Rosella Avenue  
STRATHFIELD SAYE VIC 3551

**Persons who can use the product under this permit:**

Persons generally.

## CONDITIONS OF USE

### Products to be used:

AERO FUNGICIDE (APVMA No. 59616)

PLUS OTHER REGISTERED PRODUCTS

Containing: 550 g/kg METIRAM and 50 g/kg PYRACLOSTROBIN as the only active constituent.

### RESTRAINT:

Comply with the spray drift restraints on the product label.

### Directions for Use:

Situation	Disease	Rate
Nursery stock (non-food): Seedlings, tubes & plugs, potted colour, trees and shrubs, foliage plants, palms, grasses, fruiting plants (non-bearing), cut flowers and ornamentals	Alternaria ( <i>Alternaria</i> spp.)	200 – 300 g/100 L
	Anthrachnose ( <i>Colletotrichum</i> spp.)	
	Phytophthora ( <i>Phytophthora</i> spp.)	
	Powdery Mildew ( <i>Oidium</i> spp.)	
	Downey Mildew ( <i>Peronospora</i> spp.)	

### Critical Use Comments:

- Use preventively. Begin application when conditions favour disease development, prior to or at the first signs of disease.
- Apply by ground-based sprayer (hydraulic, backpack or equivalent).
- Thorough coverage of foliage is essential: apply to the point of run-off.
- DO NOT apply more than 2 applications per crop.
- DO NOT apply less than 10 – 14 days after the initial treatment.
- Continue the spray program using fungicides from different activity (MoA) group
- Use in accordance with CropLife Australia Resistance Management Strategy and in accordance with best practice.
- Adhere to ALL product label restraints and mandatory no spray zone instructions.

### Withholding Period:

Grazing: Do not graze or cut for stock food.

### Re-entry Period:

- DO NOT enter treated areas to conduct very low/low exposure activities such as propping, irrigation, scouting and weeding until spray has dried, unless wearing cotton overalls buttoned to the neck and wrist (or equivalent clothing) and chemical resistant gloves. Clothing must be laundered after each days use.
- DO NOT enter treated areas to conduct high exposure activities such as harvesting, pruning, training and tying for 2 days, unless wearing cotton overalls buttoned to the neck and wrist (or equivalent clothing) and chemical resistant gloves. Clothing must be laundered after each days use.

**Safety Directions:**

Will irritate the skin. May irritate the eyes. Avoid contact with eyes and skin. If product on skin, immediately wash area with soap and water. When opening the container and preparing spray wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and elbow-length PVC gloves. When using the prepared spray (by low pressure handwand), wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), elbow-length PVC gloves and half face piece respirator. Wash hands after use. After each day's use, wash gloves and contaminated clothing.

**Jurisdiction:**

All States and Territories, except VIC.

Note: Victoria is not included in this permit, as their Control-of-Use legislation means a permit is not required to legalise this off-label use in that State.

**Additional Conditions:**

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label.

*To Avoid Crop Damage*

The sensitivity of the plants to be treated under this permit has not been fully evaluated. It is advisable to only treat a small area to ascertain the reaction before treating the whole crop.

Issued by the Australian Pesticides and Veterinary Medicines Authority