



Australian Government
**Australian Pesticides and
Veterinary Medicines Authority**

PERMIT TO ALLOW MINOR USE OF AN AGVET CHEMICAL PRODUCT

**TO CONTROL SPIRALING WHITEFLY and MIRIDS ON CUT FLOWERS,
ORNAMENTALS AND OTHER (NON-FOOD) NURSERY STOCK**

PERMIT NUMBER – PER86930

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 13 NOVEMBER 2018 to 30 NOVEMBER 2023.

Permit Holder:

NURSERY & GARDEN INDUSTRY AUSTRALIA
c-/ AgAware Consulting Pty Ltd
21 Rosella Avenue
STRATHFIELDSAYE VIC 3551

Persons who can use the product under this permit:

All persons.

CONDITIONS OF USE

Product to be used:

NUFARM DIMETHOATE SYSTEMIC INSECTICIDE (APVMA Approval Number 32962).
PLUS OTHER REGISTERED PRODUCTS

Containing: 400 g/L DIMETHOATE as their only active constituent.

Directions for Use:

Crop Type	Insect Pest	Application Rate
Nursery stock (non-food) Including seedlings and plugs, potted colour trees and shrubs, foliage plants, palms, grasses, and fruit trees (non-bearing)	Spiraling Whitefly (<i>Aleurodicus dispersus</i>)	<u>Foliar Spray</u> 75 mL product / 100 L or 375 mL/ha
Cut flowers and ornamentals Excluding Chrysanthemums, Begonias, Liquid Amber or Gloxinias	Mirids (<i>Creontiades spp.</i>)	<u>Post-Harvest Dip</u> Prepare solution containing 75 mL product / 100 L.

Critical Use Comments:

- FOLIAR: For full cover spray applications, monitor the crop and apply a foliar spray when listed insect pests are first noticed. Repeat applications as necessary (when listed insect pests re-appear) up to a maximum of ten (10) applications per year.
- FOLIAR: For spot-spray applications, monitor the crop and apply foliar spray when listed insect pests are first noticed, targeting the infested areas only. Repeat applications as necessary (when listed insect pests re-appear).
- Re-application with dimethoate should be at a minimum of 14 days intervals.
- FOLIAR: For quarantine treatments apply as required and as per entry condition of importing jurisdiction
- Do not apply more than two (2) sequential applications of dimethoate before changing to an insecticide from another chemical group.
- POSTHARVEST DIP: Fully immerse plants in solution for minimum of 10 seconds. Apply when listed insect pests are noticed on cut stock.
- Add a suitable wetting agent at recommended label rates.

Jurisdiction:

ALL STATES.

Additional Conditions:

Apart from the uses dealt with in this permit users must comply with the instructions on the approved label of the registered product, particularly those instructions relating to protection, precaution, safety directions, first aid and storage and disposal.

To Avoid Crop Damage:

The sensitivity of some species and varieties of the plants to be treated under this permit has not been fully evaluated under all growing conditions. It is advisable to only treat a small number of plants and closely monitor plant health. Discontinue applications when any adverse symptoms post-treatment are observed.

Dangerous to Bees:

DO NOT spray any plants in flower when bees are foraging.

Issued by the Australian Pesticides and Veterinary Medicines Authority